

## Variable Me

#### **Features**

- Low Maintenance
- Easy deploy, tow, and transport
- Deploys in under 5 minutes
- Ideal for Construction Zones or Special Events
- Torflex Axle for cushioned ride
- All steel construction

### **Compatible With**

- VMS 12"
- VMS 15"
- VMS 18"





# ssage Trailer

#### **Specifications**

Width (Travel Position) 67.11"
Length (Travel Position) 118.18"
Height (Travel Position) 83.68"
Width (Deployed Position) 66.38"
Length (Deployed Position) 70.01"
Height (Deployed Position) 117.33"
Weight 965 lbs

Weight 965 lbs

Tire Size 15"

**Trailer Lights** Sealed Beam

Batteries 204 lbs Warranty 2 Years












### **EV 12FM Specifications**

Digit Size	12"
Height	29"
Weight	<b>20</b> lbs
<b>24/7, 365 Scheduling</b>	
<b>Data Collection</b>	$\overline{}$
<b>Solar Compatibility</b>	
<b>Battery Operated</b>	$\checkmark$
Universal Mounting	<b>✓</b>
<b>Cloud Compatibility</b>	
<b>Trailer Compatibility</b>	
<b>Dolly Compatibility</b>	
Hitch Compatibility	
Warranty	2 Years


12"
VMS



### **EV 15FM Specifications**

Digit Size	15"
Height	33.1"
Weight	28 lbs
24/7, 365 Scheduling	1
<b>Data Collection</b>	1
Solar Compatibility	1
<b>Battery Operated</b>	<b>/</b>
<b>Universal Mounting</b>	<b>/</b>
<b>Cloud Compatibility</b>	<b>V</b>
<b>Trailer Compatibility</b>	1
<b>Dolly Compatibility</b>	<b>-</b>
<b>Hitch Compatibility</b>	$\checkmark$
Warranty	2 Years

# 15" VMS






## **EV 18FM Specifications**

Digit Size	18"
Height	36.6"
Weight	28 lbs
24/7, 365 Scheduling	1
<b>Data Collection</b>	
<b>Solar Compatibility</b>	VI N
<b>Battery Operated</b>	<b>\</b>
<b>Universal Mounting</b>	$\checkmark$
<b>Cloud Compatibility</b>	<b>√</b>
<b>Trailer Compatibility</b>	$\checkmark$
<b>Dolly Compatibility</b>	
Hitch Compatibility	<b>1</b>
Warranty	2 Years

18" VMS





#### **Features**

- MUTCD compliant with static "YOUR SPEED" message and highly visible 15" LED from up to 600 ft away.
- Dual Color Display: LED digit color can be programmed to change based on driver speed
- User-friendly software interface allows you to manage sign parameters such as threshold speeds and violator strobe remotely.
- Ultra-low power consumption, optional solar power.
- Stealth Mode allows the sign to collect baseline traffic data while speed display appears blank to motorists.
- Slow Down Messaging: Sign flashes "Slow Down" message at drivers who exceed designated speed.
- Universal Mounting: Optional mounting brackets let you use one sign at multiple locations with the turn of a key.





800.428.4315 decature lectronics.com